



KAMOLITE
Enamel

Shade
SELECTION



KAMOLITE

Advance

PREMIUM ENAMEL PAINT

A Premium Super High Gloss Enamel
with Mirror like High Gloss Finish
for interior and exterior surfaces mainly
on metal, wooden and suitable primed surfaces.



**Super
High Gloss**



**Super
Coverage**



**Stain
Resistant**



**Excellent
Durability**



KAMOLITE

Premium Enamel Paint

Premium quality multipurpose enamel with the state of art technology having smooth uniform finish. The product has excellent gloss, fast drying and uniform leveling with a long durable protection to the substrate, It is unique in its non-yellowing character.



**Glossy
Effect**



**Smooth
Finish**



**Stain
Resistant**



**Excellent
Durability**



BABLI

SYNTHETIC ENAMEL PAINT

An economical, fast drying solvent based paint, which gives long lasting glossy finish. It also imparts a glossy finish to the painted surface which keeps the surface looking as good as new. It has excellent smooth finish with good leveling properties.



**Gloss
Finish**



**Smooth
Finish**



**Stain
Resistant**



Economical

KAMOLITE

Premium
Enamel

CREAM & YELLOW




RAW SILK

KEK 0035



JULIET LUSH

KEK 0048




LILY BUD

KEK 0031




EUROPEAN
SOUFFLE

KEK 0036



APPLE WHITE

KEK 0033



CREAM ROLL

KEK 0032



SANDALWOOD

KEK 0038



HISTORIC CITY

KEK 0039




DREAM CREAM

KEK 0034



ROYAL IVORY

KEK 0040



WINTER HAZE

KEK 0042



HONEY DEW

KEK 0037



PALE CREAM

KEK 0041



TRANQUILLE
DAYBREAK

KEK 0051



LEMON
YELLOW

KEK 0046



GOLDEN
YELLOW

KEK 0043



MID BUFF


KEK 0044

Super White & Bases are also available.

RED & BROWN



TICKLED PINK KEK 0050



PINK CAPRICE KEK 0047



SUPERNOVA KEK 0056



PALE ROSE KEK 0053



SAND SEA KEK 0045



TEAK BROWN KEK 0059



FLAMINGO KEK 0049



RIDGE BACK KEK 0054



BROWN KEK 0062



DEEP ORANGE KEK 0052



LEAF BROWN KEK 0060



RED RAGE KEK 0064



SIGNAL RED KEK 0055



BROWN TOWN KEK 0063



CRIMSON TIDE KEK 0061



P.O. RED KEK 0058



GOLDEN
BROWN KEK 0057

Brilliant White
& Black are also
available in Kamolite.

Shades are shown for indication purpose only.

GREEN & GREY



GLACIAL HINT KEK 0001



GREEN MIST KEK 0002



BRUSH
STROKE KEK 0013



PISTA KEK 0003



NEW LEAF
GREEN KEK 0004



BLUE BELL
WHITE KEK 0016



HISTORIC
GREEN KEK 0005



SEAWEED
GREEN KEK 0006



COOL GREY KEK 0019



AQUAMARINE KEK 0007



MINT GREEN KEK 0008



LIGHT GREY KEK 0022



JADE GREEN KEK 0009



BUS GREEN KEK 0010



SMOKE GREY KEK 0025



CAVERNOUS
FOREST KEK 0011



DEEP GREEN KEK 0012



AD GREY KEK 0028

Shades are shown for indication purpose only.

MAJESTIC BLUE

KAMOLITE

Premium
Satin
Enamel



FAIRY TALE

KEK 0014



WILD LILAC

KEK 0023



CLASSIC

KEK 0017



WILD PURPLE

KEK 0026



TAN

KEK0065



ICED TEAL

KEK 0015



DUSK BLUE

KEK 0020



SUNBURNED

KEK0066



SATIN BLUE

KEK 0018



FRECH BLUE

KEK 0027



MAHOGANY

KEK0067



SKY BLUE

KEK 0021



OXFORD BLUE

KEK 0030



SATIN BROWN

KEK0068



PHIROZI

KEK 0024



ROYAL BLUE

KEK 0029



WALNUT

KEK0069

www.kamdhenupaints.com



BABLI SYNTHETIC ENAMEL



VALLEY GLOW KEB0008



PALE ROSE KEB0016



WILD LILAC KEB0004



PALE CREAM KEB0019



DEEP ORANGE KEB0015



SKY BLUE KEB0003



GOLDEN YELLOW KEB0007



P.O. RED KEB0014



PHIROZI KEB0002



GOLDEN BROWN KEB0011



RED RAGE KEB0013



SMOKE GREY KEB0018



LEAF BROWN KEB0010



MINT GREEN KEB0006



ELEPHANT GREY KEB0017



BROWN KEB0009



BUS GREEN KEB0005



OXFORD BLUE KEB0001

While, Base White & Black are also available in Babli

▼	SURFACE PREPARATION
STEP-1	Clean the surface using Emery Paper 180 to remove loose particles.
STEP-2	PRE - PRIMING
	Apply one coat of Primer and allow it to dry for 6 hours.
	Use Kamdhenu Wood Primer for wooden surface, Kamdhenu KROP for mid-steel surface and Kamdhenu ST Primer for walls.
STEP-3	SMOOTHEN
	Fill dents and undulations with a thin coat of Putty.
	Use Kamdhenu Acrylic Putty for wooden surfaces, Kamdhenu Knifing Paste Filler for metal surfaces.
STEP-4	FINAL PRIMING
	Fill larger cracks with the mixture of White Cement & Sand in the ration of 1:3
STEP-5	TOP COAT
	Apply 2 coats of Kamolite Premium High Gloss Enamel by diluting 1 litre of Enamel with 80-100ml. of MTO.
OR	Apply 2 coats of Kamolite Premium Satin Enamel by diluting 1 litre of Enamel with 150-180ml. of MTO.
OR	Apply 2 coats of Babli Enamel by diluting 1 litre of Enamel with 50-100ml. of MTO.

Keep an interval of 6 to 8 hours between the two coats.



KAMDHENU LIMITED

2nd Floor, Building No. 9A, DLF Cyber City, Phase-III, Gurugram (HR.)-122002

☎ Fax: 0124-4218524, ✉ Email: kamdhenu@kamdhenulimited.com

☎ +91-124-4604500 (30 Lines) ☎ Toll Free: 1800 1800 545



www.kamdhenupaints.com